

United States Patent and Trademark Office

een

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

| APPLICATION NO. | FILIN | IG DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. | |
|--------------------|------------------------|------------|----------------------|---------------------|------------------|--|
| 10/562,479 | 12/2 | 23/2005 | Bong-Hoon Lee | 11281-090-999 | 6178 | |
| 20583 JONES DAY | 7590 | 10/22/2007 | | EXAM | EXAMINER | |
| 222 EAST 41 | 2 EAST 41ST ST BLEVINS | | JERRY M | | | |
| NEW YORK, | NY 10017 | | | ART UNIT | PAPER NUMBER | |
| | | • | | 2883 | | |
| | | • | | · . | | |
| | | • | | MAIL DATE | DELIVERY MODE | |
| | | • | | 10/22/2007 | PAPER | |

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

| • | | | $\mathbf{M} /$ | | | | | |
|--|---|---|----------------|--|--|--|--|--|
| | Application No. | Applicant(s) | 1 | | | | | |
| Office Action Comments | 10/562,479 | LEE ET AL. | | | | | | |
| Office Action Summary | Examiner | Art Unit | | | | | | |
| | Jerry Martin Blevins | 2883 | | | | | | |
| The MAILING DATE of this communication app Period for Reply | pears on the cover sheet wit | th the correspondence address | | | | | | |
| A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING D. - Extensions of time may be available under the provisions of 37 CFR 1.1 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period of the period for reply within the set or extended period for reply will, by statute any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b). | ATE OF THIS COMMUNIC 36(a). In no event, however, may a rewill apply and will expire SIX (6) MONOR cause the application to become AB | CATION. Eply be timely filed THS from the mailing date of this communication. ANDONED (35 U.S.C. § 133). | | | | | | |
| Status | | | | | | | | |
| 1) Responsive to communication(s) filed on 23 July | uly 2007. | | | | | | | |
| 2a) This action is FINAL . 2b) ⊠ This | This action is FINAL . 2b)⊠ This action is non-final. | | | | | | | |
| · | 3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is | | | | | | | |
| closed in accordance with the practice under E | Ex parte Quayle, 1935 C.D. | . 11, 453 O.G. 213. | | | | | | |
| Disposition of Claims | | | | | | | | |
| 4) Claim(s) 9-21 is/are pending in the application | • | | | | | | | |
| 4a) Of the above claim(s) is/are withdra | wn from consideration. | | | | | | | |
| 5) Claim(s) is/are allowed. | | | | | | | | |
| 6)⊠ Claim(s) <u>9-21</u> is/are rejected. | · | | | | | | | |
| 7) Claim(s) is/are objected to. | | | | | | | | |
| 8) Claim(s) are subject to restriction and/c | or election requirement. | | | | | | | |
| Application Papers | | | | | | | | |
| 9) The specification is objected to by the Examine | er. | | | | | | | |
| 10)⊠ The drawing(s) filed on <u>23 December 2005</u> is/a | | objected to by the Examiner. | | | | | | |
| Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a). | | | | | | | | |
| Replacement drawing sheet(s) including the correct | tion is required if the drawing(| s) is objected to. See 37 CFR 1.121(d) |) . | | | | | |
| 11) The oath or declaration is objected to by the Ex | xaminer. Note the attached | Office Action or form PTO-152. | | | | | | |
| Priority under 35 U.S.C. § 119 | | | | | | | | |
| 12) Acknowledgment is made of a claim for foreign | priority under 35 U.S.C. § | 119(a)-(d) or (f). | | | | | | |
| a)⊠ All b)□ Some * c)□ None of: 1.□ Certified copies of the priority document | ts have been received | | | | | | | |
| 2. Certified copies of the priority document | | polication No | | | | | | |
| 3. Copies of the certified copies of the prior | • | <u> </u> | | | | | | |
| application from the International Burea | • | | | | | | | |
| * See the attached detailed Office action for a list | of the certified copies not | received. | | | | | | |
| | | | | | | | | |
| Attachment(s) | | | | | | | | |
| Attachment(s) 1) Notice of References Cited (PTO-892) | 4) Interview S | ummary (PTO-413) | | | | | | |
| 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s |)/Mail Date | | | | | | |
| Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date | 5) Notice of Ir 6) Other: | formal Patent Application | | | | | | |

Art Unit: 2883

DETAILED ACTION

Response to Arguments

Applicant's arguments filed July 23, 2007 have been fully considered but they are not persuasive.

Examiner contends that the prior art reference to Brown et al., US 2005/0008305, teaches that a lubricous layer surrounds the inner tube where optical fibers are inserted (paragraph 11). Since the lubricous layer surrounds the inner tube, the lubricous layer would be located both inside and outside of the inner layer. Therefore, the lubricous layer located on the inner portion of the inner tube would be between the inner tube and the inserted fiber. Thus, the lubricous layer does serve to decrease friction against the fiber. Furthermore, since the lubricous layer surrounds the inner tube, it can certainly be considered to be an integral part of the tubing.

Brown also teaches that the sheath is made of polyethylene of low coefficient of friction (paragraph 3). Brown contrasts low coefficient polyethylene to that of high coefficient polyethylene (also paragraph 3), meaning that the sheath of Brown does have a lower coefficient of friction than that of higher coefficient polyethylene. In fact, examiner contends that this is the only valid interpretation in view of applicant's claim 17, which states that the sheath is made of polyethylene with a lower coefficient of friction than that of polyethylene. The only logical conclusion is that the sheath must be made of low coefficient polyethylene with a lower coefficient of friction than that of higher coefficient polyethylene. Brown teaches this arrangement precisely.

Art Unit: 2883

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

Claims 9, 13, 14, and 17-20 are rejected under 35 U.S.C. 102(e) as being anticipated by US 2005/0008305 to Brown et al.

Regarding claim 9, Brown teaches a tube for installing an optical fiber unit which is to be installed in a communication pipe (Figure 1) comprising an inner layer (comprising tubes 3 for which the optical fiber units are installed) defining an opening for receiving the optical fiber unit (paragraph 28) and having a lubricous component for decreasing friction against the optical fiber unit (paragraphs 9-11) and a sheath (5) provided around the inner layer (Figure 1) and made of polymer with a lower coefficient of friction than polyethylene in order to decrease friction when the tube is installed in the communication pipe (paragraph 3).

Regarding claim 13, Brown teaches that the sheath includes a lubricous component (Figure 1, element 7) so as to decrease friction between the tube and the communication pipe (paragraph 11).

Regarding claim 17, Brown teaches that the polymer is polyethylene (paragraph 28) containing a lubricous component (Figure 1, element 7).

Art Unit: 2883

Regarding claims 14 and 18, Brown teaches that the lubricous component is silicon, carbon, or PBT (paragraph 28).

Regarding claim 19, Brown teaches that the inner layer and sheath are made of the same material (namely extruded medium density polyethylene, as taught in the abstract and throughout the text).

Regarding claim 20, Brown teaches a tube for installing an optical fiber unit which is to be installed in a communication pipe (Figure 1) wherein the tube is made of a single layer (comprising tubes 3 for which the optical fiber units are installed) made of polymer having a lower coefficient of friction than polyethylene so as to decrease friction against the optical fiber unit contacted with an inner circumference of the tube while the optical fiber unit is installed the tube is installed (paragraph 28) by gas pressure as well as friction generated on the outer circumference of the tube (paragraphs 30-33) while the tube is installed in the communication pipe.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 10, 12, 15, 16, and 21 are rejected under 35 U.S.C. 103(a) as being unpatentable over Brown in view of US 2003/0123824 to Tatarka et al.

Art Unit: 2883

Regarding claims 10 and 12, Brown teaches the limitations of the base claim 9.

Brown does not teach a reinforcing layer between the inner layer and the sheath.

Tatarka teaches a reinforcing layer (Figure 1, strength members 144) made of polyethylene (paragraph 24) between an inner layer (124) and sheath (132) for increasing the strength of a tube (100). It would have been obvious to one of ordinary skill in the art at the time of the invention to include the reinforcing layer of Tatarka in the tube of Brown. The motivation would have been to increase strength of the tube.

Regarding claim 15, Brown in view of Tatarka renders obvious the limitations of the base claim 10. Brown also teaches that the sheath includes a lubricous component (Figure 1, element 7) so as to decrease friction between the tube and the communication pipe (paragraph 11).

Regarding claim 16, Brown in view of Tatarka renders obvious the limitations of the base claim 15. Brown also teaches that the lubricous component is silicon, carbon, or PBT (paragraph 28).

Regarding claim 21, Brown teaches the limitations of the base claim 20. Brown does not teach that the layer is composed of PBT. Tatarka teaches a tube layer composed of PBT (paragraph 20). It would have been obvious to one of ordinary skill in the art at the time of the invention to make the tube layer of Brown out of PBT, as taught by Tatarka. The motivation would have been to decrease friction between the tube and the optical fiber unit.

Art Unit: 2883

Claim 11 is rejected under 35 U.S.C. 103(a) as being unpatentable over Brown in view of Tatarka as applied to claim 10 above, and further in view of US 6,370,303 to Fitz et al.

Regarding claim 11, Brown in view of Tatarka renders obvious the limitations of the base claim 10. Neither Brown nor Tatarka explicitly teach a reinforcing layer with tensile strength higher than 20 MPa. Fitz teaches a reinforcing member for strengthening a tube for installing an optical fiber unit with a tensile strength higher than 20 MPa (column 7, line 66 – column 8, line 7). It would have been obvious to one of ordinary skill in the art at the time of the invention to make the reinforcing layer of Tatarka of material having tensile strength higher than 20 MPa, as taught by Fitz. The motivation would have been to reduce bending of the optical fiber unit (Fitz, column 7, line 66 – column 8, line 7).

Conclusion

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1:136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of

Art Unit: 2883

the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jerry Martin Blevins whose telephone number is 571-272-8581. The examiner can normally be reached on Monday through Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Frank G. Font can be reached on 571-272-2415. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

JMB

Frank G. Font Supervisory Patent Examiner Technology Center 2300

Frank I Fo